

SILVERLINE

ABOUT SILVERLINE

Silverline is one of the world's leading brands in the production and sales of built-in products. With an annual production volume of 1.2 million units, Silverline exports its products to approximately 70 countries worldwide.

Silverline has proven its reliability after having received numerous prestigious awards in various prominent European design contests. Silverline has received Reddot, Plus X, iF Design, IDA Design and German Design awards in the fields of innovation and design.







HOODS


High performance is achieved through smart technologies and strong design. As we spend a great deal of our time there, who doesn't want a clean and aesthetic kitchen?




SilverCVS

Maximum technology and energy efficiency!

Developed by Silverline R&D Center, the SilverCVS (Central Ventilation System) technology is integrated into the central airflow stations of the building to optimise energy efficiency.




Having the ability clean the ambient air without running the hood motor, this system comes to the fore with a low noise level (26 dB) and the self-cleaning function.



Easy installation

SiverWire, the steel hanging system that permits easy installation of hoods, offers ease of installation and saves you time.



The hood is easily positioned with the help of 4 steel wires and can be installed by one person only.

The steel wire system allows durable and convenient installation.


It is installed by one person without spending too much time.





The silence that your kitchen needs..

Allowing the hood motor to be moved outside in a modular way, the SilverFlex technology offers the user a convenient kitchen experience



Ensuring that the ventilation motor, the primary source of noise of hoods can be installed outside, this special technology is the beginning of a new silent era in the kitchen.

SilverFlex allows you to install the hood motor in an exterior place.

There is no noise in the kitchen while the hood is running.


You get to experience high performance together with a silent hood.


we manage extraction in many ways

Silverline hoods provide you with a fumefree and fresh kitchen thanks to their unique design and different extraction systems for all types of kitchens.




You can cook in peace in your kitchen with the noise level reduced down to 34 dB thanks to this feature.






Downdraft extraction

Cooking fume is extracted immediately before it disperses into the kitchen thanks to the practical countertop installation.








Extendable split extraction

As the speed is increased, the moving front panel comes out of the body, extending the filter surface and the extraction zone. Thus it ensures cooking fume capture with maximum efficiency.



Integrated extraction

Hi-performance extraction system quickly removes the fume from cooking surface



ENERGY CLASS















CUSTOMISATION

Provides panel options according to the customer's preference.



AUTO MODE

Automatic hood system operating simultaneously with the hob for worktop hoods.



HOB DISTANCE (ELECTRIC)

The distance between electric hob and hood.



WEIGHT

The weight of hood.



HOB DISTANCE (GAS)

The distance between gas hob and hood.



LIGHTING (STANDARD)

The halogen lamp has high efficiency, quality of light, and high rated life.



CARBON FILTER

It makes sure your kitchen is kept odour-free. The filter filtrates vapours and grease created by cooking.



LED LIGHTING

Provides higher brightness with



REMOTE CONTROL

Control with a functional remote



LED STRIPE LIGHTING

Provides flexibility and color options which make it perfectly suited for many lighting applications.



APP CONTROL

Control with IOS and/or Android



RGB LED LIGHTING

The color of the light is adjusted with the remote control.



SILVER CONNECT

Automatic adjustment of the hood speed according to the air flow by the cooker with Bluetooth.



TUNABLE LED LIGHTING

Temperature value of white color.



EASY INSTALLATION

Easy installation of hoods via spending less time and energy



AUTOMATIC SENSORS

Automatic control for the functions.



HI SERIES

Guarantees brilliant cooking experience and fresh air by Hi technologies.



MANUAL MODE

Manual control of hood functions.



V12 DYNAMIC IQ MOTOR

New generation engine technology with high energy efficiency, air extraction performance and very low noise level.



ACTIVE FLEX CARBON FILTER

Flexible carbon filter that allows easy usage and replacement.



V12 AC MOTOR

???????????????



FILTER LIFECYCLE INDICATOR

Alerts when filters are due for replacement.



PLUG & PLAY

Easy installation without pipe kit.



FULL SURFACE LIGHTING

Creates a brighter kitchen environment.



AIR QUALITY INDICATOR

Air quality feedback to keep ambient air quality at the best level and automatic



LIFT

Adjustable height for the hood.



WASTE WATER CAPACITY

Maximum waste water capacity of the product.



AUTO FUNCTION

It enables the product to work automatically thanks to the data it receives from the sensors.



SILVERMUTE

Products with a whisper-level sound.



STEAM SENSOR

It detects the steam and ensures that the hood works automatically.

15



USING WITH PIPE

Usage with pipe for worktop hoods.













7110 FLOW-IN PRO



















9 Levels

Double

4 Boosters














Installation instructions:

Installation in the worktops with min. depth of 600mm







Side view

Hood Technical Data

Category Worktop Hoods Size 78-85 x 52 x 21cm Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate 648 (m³/h) Max Noise Level min. 39 dB(A) max. 67 dB(A)

Total Absorbation 160W

U-Shaped Black Grease Filter + Optional Active Flex Carbon Filter

Multi slider 96+B Control

Lighting

Duct Size 220x89 mm

Technical Data Power Stage Setting

Booster Bridge Residual Heat Indicator Keep Warm Timer

Automatic Safety Switch Off 90 Min Child Lock Yes Pause and Recall Yes 220-240V Voltage Frequency 50 / 60Hz

Multi Slider Control Coil Type Octa Flex

2 (2kW - 2.8kW) - 190*190mm 2 (1,5kW - 2.8kW) - 190*190mm Coil Size & Power Total Power 7.2 kW

Power Limitation 2,8kW - 3,5kW - 7,2kW

Hob Colors



Grill Colors



Grease Filter Colors


















3412 SUPREME

Technical Data

Worktop Hoods Category Size 85cm

Duct Out Version Intern (Duct Out / Recirclation) Finish Aluminium + Tempered Glass

Performance Data


Max Flow Rate 648 m³/h Max Noise Level 59 dB(A) Total Absorbation 150W

Stainless Steel Conic Filter + Active Carbon Filter Filter

4S Touch Control Control

Lighting

Duct Size 220x89mm






















3413 FLOW-IN

Technical Data

Category Worktop Hoods Size 78cm

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass

Performance Data


Max Flow Rate Max Noise Level 71 dB(A) Total Absorbation 150W

Stainless Steel Casette Filter + Active Carbon Filter

Control 4S Touch Control

Lighting

Duct Size 220x89mm



Color



Black White

Color

Black





Category Worktop Hoods 78cm

Duct Out Version Intern (Duct Out / Recirclation) Finish


Inox + Tempered Glass

Performance Data

Max Flow Rate Max Noise Level 71 dB(A) Total Absorbation 158W

Stainless Steel Casette Filter + Active Carbon Filter Filter

Control 4S Touch Control Lighting 1x8W Led Stripe 220x89mm Duct Size













3415 OVERALL

Technical Data

Category Worktop Hoods Size

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass


Performance Data

Max Flow Rate Max Noise Level 70 dB(A) Total Absorbation 162W

Stainless Steel Casette Filter + Active Carbon Filter Filter

Control 4S Touch Control Lighting 1x12W Led Stripe Duct Size 220x89mm




























3416 FREE FLOW

Technical Data

Category Worktop Hoods

Size 40cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish

Performance Data

Max Flow Rate: 723 m³/h Max Noise Level: 66 dB(A) Total Absorbation: 150W

Stainless Steel Casette Filter + Active Carbon Filter Filter


Control 3S+1B Touch Control

Lighting

220x89mm Duct Size

Color







3417 DOUBLE FLOW

Technical Data

Category Worktop Hoods

40cm

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 71 dB(A) Total Absorbation: 150W

Stainless Steel Casette Filter + Active Carbon Filter


4S Touch Control Control

Lighting


220x89mm Duct Size

Color





















3410 DOWNDRAFT

Technical Data

Category Worktop Hoods
Size 60 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)
Finish Inox + Tempered Glass

Performance Data


Max Flow Rate: 813 m³/h
Max Noise Level: 62 dB(A)
Total Absorbation: 282W

Filter Stainless Steel Casette Filter + Active Carbon Filter

Control 3S+1B Touch Control
Lighting 4x1,1W Power LED
Duct Size 150mm

Color







3411

Technical Data

Category Worktop Hoods
Size 60 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox

Performance Data

Max Flow Rate: 719 m³/h
Max Noise Level: 63 dB(A)
Total Absorbation: 275W

Filter Stainless Steel Casette Filter + Active Carbon Filter


Control 3S+1B Soft Touch with Display

Lighting /

Duct Size 150mm

Color













SUSPENDED HOODS









SUSPENDED HOOD

































Technical Data


Suspended Hood Category Duct Out Veraion Intern (Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate 600 m³/h Max Noise Level 58 dB(A) Total Absorbation 247 W

Filter Aluminium Casette Filter + Active Carbon Filter

Control Application + Remote Control 87W LED Stripe (RGB + TW) Lighting

















4386 PURE PLUS

Technical Data

Category Suspended Hoods

Size

Duct Out Version Intern (Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 765 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 280W

Stainless Steel Casette Filter + Filter Active Carbon Filter

2S+1B Touch Control Control Lighting 2x2,5W D-LED

Duct Size
























4385 NEAT

Technical Data

Category Suspended Hoods

50cm

Duct Out Version Intern (Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 740 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 290W

Filter Stainless Steel Casette Filter +

Active Carbon Filter 3S+1B Touch Control Control

Lighting 1x15W LED Duct Size


































4203



Technical Data

Category Island Hoods
Size 90cm

3ize 90Ci

Duct Out Version Intern (Duct Out / Recirclation)
Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 725 m³/h
Max Noise Level: 64 dB(A)
Total Absorbation: 279W

Filter Aluminium Casette Filter + Optional Carbon Filter
Control 4S+1B Touch Control

8x1,1W Power LED

Duct Size 150mm

Color

Lighting






















4207





Category Island Hoods
Size 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)
Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 738 m³/h
Max Noise Level: 62 dB(A)
Total Absorbation: 274W

Filter Stainless Steel Casette Filter + Charcoal Carbon Filter

Control 3S+1B Touch Control


Lighting 2x4,5W LED Stripe

Duct Size 150mm





Nero Bianco Black White



ISLAND HOODS





4250

Category

Size

Finish

Filter

Control

Lighting

Duct Size

Color

Inox Black White

Technical Data

Performance Data

Max Noise Level: 66 dB(A)

Total Absorbation: 281W

Max Flow Rate:





Island Hoods

60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)



Inox + Tempered Glass

Aluminium Casette Filter +

3S+1B Soft Touch with Display

Optional Carbon Filter

4x1,5W G4 LED

150mm





4110

Category

Size

Finish

Filter

Lighting

Technical Data





Island Hoods

Duct Out Version Intern (Duct Out / Recirclation)

60 - 90 - 120cm

2x1,5W G4 LED























Technical Data

Category 60 - 90cm Size

Performance Data

Performance Data Max Flow Rate: 765 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 278W

Filter Aluminium Casette Filter + Optional Carbon Filter Control 3S+1B Soft Touch with LCD 3S+1B Soft Touch with Display Control

Duct Size 150mm

Color





Island Hoods

Duct Out Version Intern (Duct Out / Recirclation)

Inox + Tempered Glass

Max Flow Rate: 750 m³/h Max Noise Level: 65 dB(A)

Total Absorbation: 278W Aluminium Casette Filter + Optional Carbon Filter

2x1,5W G4 LED


Duct Size 150mm

Color

Lighting









Technical Data

Island Hoods Category Size 40cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish

4170

Performance Data Max Flow Rate: 739 m³/h Max Noise Level: 63 dB(A)

Total Absorbation: 278W Aluminium Casette Filter + Optional Carbon Filter Filter

3S+1B Soft Touch with Display


Lighting 2x1,5W G4 LED Duct Size 150mm

Color

Control











4180

Category

Size

Finish

Filter

Control

Lighting

Duct Size

Color

lnox

Technical Data

Performance Data

Max Noise Level: 54 dB(A)

Total Absorbation: 269W

Max Flow Rate:









Island Hoods

40cm

Duct Out Version Intern (Duct Out / Recirclation)

700 m³/h

Aluminium Casette Filter +

4S+1B Soft Touch with Display

Optional Carbon Filter

2x1,5W G4 LED

150mm















4204

Technical Data

Category Island Hoods 90cm Size

Duct Out Version Intern (Duct Out / Recirclation)

Inox + Tempered Glass

Performance Data

Max Flow Rate: 752 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 279W Filter


Stainless Steel Casette Filter + Charcoal Carbon Filter


Control 3S+1B Touch Control Lighting 8x1,1W Power LED Duct Size 150mm


Color






































4267 LIGHTBOX

Technical Data

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Intern (Duct Out/ Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 678 m³/h Max Noise Level: 73 dB(A) Total Absorbation: 137W

Stainless Steel Casette Filter + Active Carbon Filter Filter

Control 3S+1B Remote Control Lighting 1x35W LED Stripe

Duct Size

Options

RGB + Tunable White Tunable White




























4265 SIDELIGHTED



Technical Data

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Extern / Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 602 m³/h Max Noise Level: 72 dB(A) Total Absorbation: 137W

Stainless Steel Casette Filter + Active Carbon Filter Filter

Control 4S Remote Control Lighting 1x35W LED Stripe

Duct Size

Color

Options

RGB + Tunable White Tunable White Silverconnect + Silverwire











CEILING HOODS









































4266 SLIDE TO HEAVEN

Technical Data

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Extern / Intern (Duct Out / Recirclation)

Inox + Tempered Glass

Performance Data

Max Flow Rate: 590 m³/h Max Noise Level: 76 dB(A) Total Absorbation: 134W

Stainless Steel Casette Filter + Filter Active Carbon Filter

Control 4S Remote Control Lighting 1x32W LED Stripe

Duct Size

Options

Silverconnect + Silverwire

Color





4264 SQUARE BOX

Technical Data

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 578 m³/h Max Noise Level: 73 dB(A) Total Absorbation: 130W

Stainless Steel Casette Filter + Filter Active Carbon Filter

Control 4S Remote Control Lighting 1x28W LED Stripe

Duct Size

Options

Silverconnect + Silverwire

Color

Black White

4263

Technical Data

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)

Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: 686 m³/h Max Noise Level: 67 dB(A) Total Absorbation: 132W

Stainless Steel Casette Filter + Filter Active Carbon Filter


Control 3S+1B Remote Control Lighting 1x30W LED Stripe


Duct Size


Color



Black White
























4262 SKYDOOR

Technical Data

Ceiling Hoods Category Size 100 - 120cm

Duct Out Version Extern / Intern (Duct Out Recirclation)

Inox + Tempered Glass

Performance Data

Max Flow Rate: 649 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 137W

Filter Stainless Steel Casette Filter + Active Carbon Filter

Control 4S Remote Control Lighting 1x50W LED Stripe

Duct Size

Options

Silverconnect + Silverwire

Pattern











CEILING HOODS





















































4226

Category

Size

Finish

Filter

Control

Lighting

Duct Size

Technical Data

Performance Data

Max Noise Level: 64 dB(A)

Total Absorbation: 288W

Max Flow Rate:





Ceiling Hoods

100 - 120cm

Tempered Glass

Stainless Steel Casette Filter +

Charcoal Carbon Filter

3S+1B Remote Control

Duct Out Version Intern (Duct Out / Recirclation)

785 m³/h

4x3W LED

150mm



















4260 NIGHT

Technical Data

Category Ceiling Hoods 90 - 120cm Size

Extern / Intern (Duct Out Duct Out Version Recirclation) Tempered Glass

Finish

Performance Data

Max Flow Rate: 758 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 290W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S+1B Remote Control

Lighting 15W Micro LED Duct Size 150mm

Color





Technical Data

Category Ceiling Hoods 90 - 100 - 120cm Size Extem / Intern (Duct Out Duct Out Version Recirclation) Tempered Glass

Performance Data

Max Flow Rate: 773 m³/h Max Noise Level: 61 dB(A) Total Absorbation: 286W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S+1B Remote Control Lighting 3x3,5W LED

150mm

Color

Duct Size





4227 ROOF

Technical Data

Category Ceiling Hoods 100 - 120cm Size Duct Out Version Extern

Performance Data

Max Flow Rate: Max Noise Level: 60 dB(A) Total Absorbation: /

Filter Aluminium Casette Filter 2S+2B Remote Control Control

Lighting Duct Size

Color







Tempered Glass

786 m³/h





4225

Technical Data

Category Ceiling Hoods 100 - 120cm Size

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate: 753 m³/h Max Noise Level: 59 dB(A) Total Absorbation: 295W

> Stainless Steel Casette Filter + Filter Charcoal Carbon Filter Control 3S+1B Remote Control

Lighting 6x3W LED Duct Size 150mm

Color





4224

Technical Data

Category Ceiling Hoods Size 100 - 120cm

Extern / Intern (Duct Out **Duct Out Version** Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate: 679 m³/h Max Noise Level: 60 dB(A) Total Absorbation: 338W


Filter Stainless Steel Casette Filter + Active Carbon Filter


Control 3S+1B Remote Control


Lighting 6x3W LED Duct Size




















49

















3474 STRONG

Technical Data

Duct Size

Category Wall Type Hoods
Size 60 - 80cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Ceracor / Corian

Performance Data

Max Flow Rate: 736 m³/h
Max Noise Level: 59 dB(A)
Total Absorbation: 285W

Filter Aluminium Casette Filter + Optional Carbon Filter

150mm

Control 2S+1B Touch Control
Lighting 1x10W LED Stripe

Color

Deep Glacier Black White Quartz













3457 SOHO

Technical Data

Category Wall Type Hoods
Size 60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Tempered Glass

Performance Data


Max Flow Rate: 628 m³/h
Max Noise Level: 61 dB(A)
Total Absorbation: 285W

er Aluminium Casette Filter +

Optional Carbon Filter
Control 3S Touch Control
Lighting 1x10W LED Stripe

Duct Size 150mm





















3433 SLIDE DOWN

Technical Data

Category Wall Type Hoods Size 60 - 80cm

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass



Max Flow Rate: 742 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 175,5W


Filter Aluminium Casette Filter + Optional Carbon Filter

3S+1B Touch Control Control 1x10,5W LED Stripe Lighting

Duct Size 150mm



Color















Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Aluminium + Tempered Glass

Performance Data

Max Flow Rate: 628 m³/h Max Noise Level: 61 dB(A)

Total Absorbation: 285W Aluminium Casette Filter + Optional Carbon Filter Filter

Control 3S Touch Control Lighting 1x10W LED Stripe

Duct Size 150mm












Grill Color



Natural Al Dark Bright Rose Inox Gold Bronze









Silverline Series give more freedom and time to try new things and places.



Silverline Series assure you everything is well in your kitchen.








about your kitchen.

WITH SMART THINGS Silverline Series are task-ready!

High Intelligence



As the heavy air and odors in the kitchen disperse, you want to control and improve the ambient air immediately. Nano sensors from the HI Series by Silverline detect the change in the ambient air without even leaving you the time to think about it, and switch on automatically to clean the air. After completing their duty, these sensors turn off automatically. This way, you will not have to worry about unpleasant odors.



Discover the new opportunities

With the HI SERIES that combines techno-

logy and design, Silverline offers a smart kitchen experience to turn kitchens into enjoyable living spaces.

Making kitchen experience easier

You don't have to think about coordination in your kitchen. Someone else is doing it for you: Smart products from Silverline's HI SERIES will make your work in the kitchen much easier. All you need to do is enjoy the convenient and smart kitchen experience. Discover Silverline's world of High Intelligence.









the extendable colored filter gradually pops out as the speed is increased and expands the extraction zone, thus ensuring cooking fume capture with maximum efficiency.

illuminates the whole cooking area thanks to the ergonomic lighting.





3431 POP OUT




























Black White Inox Green Blue Pink Turquoise





Technical Data


Category Wall Type Hoods 60 - 80cm

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate: 736 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 177W

Aluminium Casette Filter + Optional Carbon Filter Control 2S+1B Touch Control 1x12W LED Stripe Lighting 150mm Duct Size





3457

Technical Data













Technical Data

Performance Data

Max Noise Level: 56 dB(A)

Total Absorbation: 216W

Max Flow Rate:

Category

Size

Finish

Control

Lighting

Duct Size

Color

Black



Wall Type Hoods

60 - 80 - 90cm

Inox + Tempered Glass

Aluminium Casette Filter +

Optional Carbon Filter

2S+1B Touch Control

2×3W LED

Duct Out Version Intern (Duct Out / Recirclation)

















Category Wall Type Hoods 60 - 80 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass Finish

Performance Data


Max Flow Rate: Max Noise Level: 55 dB(A) Total Absorbation: 216W


Aluminium Casette Filter + Optional Carbon Filter 2S+1B Touch Control Control

Lighting 2x3W1FD Duct Size

Color







3454

Finish

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation)


Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Optional Carbon Filter 3S Touch Control Control 2x3W LED Lighting **Duct Size**

Color

Black

























3450

Technical Data

Category Wall Type Hoods Size 60 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass


Performance Data

Max Flow Rate: 628 m³/h Max Noise Level: 65 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Touch Control Lighting 2x3W LED Duct Size 150mm

Color





3445

Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation)

Inox + Tempered Glass

Performance Data


Max Flow Rate: 654 m³/h Max Noise Level: 61 dB(A) Total Absorbation: 225W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 2S+1B Touch Control Lighting 1x15W LED Stripe

Duct Size 150mm

Color





3444

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate: 660 m³/h Max Noise Level: 57 dB(A) Total Absorbation: 216W


Aluminium Casette Filter + Filter Optional Carbon Filter Control 2S+1B Touch Control

Lighting 2x3W LED Duct Size 150mm

Color



Black White Black+



























3429

Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass Finish

Performance Data


Max Flow Rate:


Max Noise Level: 62 dB(A) Total Absorbation: 281W Aluminium Casette Filter + Optional Carbon Filter 2S+1B Touch Control Control

2x3W LED Lighting Duct Size

Color











3424

Category

Finish

Filter

Control

Lighting

Color

Duct Size

Technical Data

Performance Data

Max Noise Level: 66 dB(A)

Total Absorbation: 216W

Max Flow Rate:





Wall Type Hoods

Tempered Glass

Aluminium Casette Filter +

Optional Carbon Filter

3S Touch Control

2x3W LED

60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)













Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Finish Tempered Glass


Performance Data

Max Flow Rate: Max Noise Level: 68 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Optional Carbon Filter Control 3S Touch Control 2x3W LED Lighting **Duct Size**









Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Finish Tempered Glass

Performance Data


Max Flow Rate: 647 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter Control 3S Touch Control Lighting 2x3W LED Duct Size 150mm

Color







3420

Technical Data

Category Wall Type Hoods Size 50 - 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Finish Tempered Glass

Performance Data


Max Flow Rate: 628 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter Control 3S Touch Control Lighting 2x3W LED Duct Size 150mm

Color







Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Max Flow Rate:

Max Noise Level: 63 dB(A)


Aluminium Casette Filter + Optional Carbon Filter 3S Soft Touch with Display

Lighting 2x3W LED Duct Size

Color











Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Tempered Glass

Performance Data

Max Flow Rate: 772 m³/h Max Noise Level: 62 dB(A) Total Absorbation: 282W


Filter Aluminium Casette Filter +

Optional Carbon Filter 3S+1B Touch Control Control 4x1,1W Power LED Lighting

Duct Size 150mm



Color





3283

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass


Performance Data

Max Flow Rate: 649m³/h Max Noise Level: 67 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S Mechanical Push Button Control

2x3W LED Lighting Duct Size 150mm



Color

lnox+

Color

Black White



























Color









3265

Technical Data

Category Wall Type Hoods Size 60 - 80 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Tempered Glass

Performance Data

Max Flow Rate: 840m³/h 56 dB(A) Max Noise Level: Total Absorbation: 170W

Filter Aluminium Casette Filter +

Optional Carbon Filter 3S+1B Touch Control Control 5x1,1W Power LED Lighting

Duct Size 150mm



67











Performance Data

Technical Data

3330

Category

Size

Max Flow Rate: 800 m³/h Max Noise Level: 65 dB(A) Total Absorbation: 282W

Aluminium Casette Filter + Filter Optional Carbon Filter

Control 3S+1B Soft Touch with Display

Wall Type Hoods

Inox + Tempered Glass

60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Lighting 4x1,1W Power LED Duct Size 150mm
















3180

Technical Data

Category Wall Type Hoods Size

100cm Duct Out Version Intern (Duct Out / Recirclation)

Finish

Performance Data

Max Flow Rate: 66 dB(A) Max Noise Level: Total Absorbation: 284W

Filter Aluminium Casette Filter +

Optional Carbon Filter 3S+1B Soft Touch with Display Control


3x3W LED Lighting Duct Size

150mm



Color

Inox Black White





3122

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass

Performance Data


Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 281W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S+1B Soft Touch with Display Control

2x1,5W G4 LED Lighting

Duct Size 150mm



Inox Black White

Color

Inox Black White















3155 LX



Category Wall Type Hoods Size 60 - 70 - 90cm


Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data

Max Flow Rate: 621m³/h Max Noise Level: 70 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Filter Optional Carbon Filter

Control 3S Touch Control Lighting 2x3W LED Duct Size 150mm





3120

Technical Data

Category Wall Type Hoods Size 50 - 60 - 70 - 80 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish


Performance Data

Max Flow Rate: 760m³/h Max Noise Level: 67 dB(A) Total Absorbation: 281W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S+1B Soft Touch with Display Control

2x3W LED Lighting Duct Size 150mm

































WALL-MOUNTED HOODS



2242

Technical Data

Category Wall Type Hoods Size 60 - 90 - 100cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish

Performance Data


Max Flow Rate: Max Noise Level: 67 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Mechanical Push Button Control

2x3W Bulb LED Lighting

Duct Size 150mm







2240

Technical Data

Category Wall Type Hoods Size 50 - 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish


Performance Data

Max Flow Rate: 320m³/h Max Noise Level: 63 dB(A) Total Absorbation: 116W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S Mechanical Push Button Control

2x3W Bulb LED Lighting Duct Size 120mm



Color

Color

Inox Black

Inox Black White





















2180

Technical Data

Category Wall Type Hoods Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish

Performance Data

Max Flow Rate: 636m³/h Max Noise Level: 70 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S Soft Touch with Display Control 2x3W LED Lighting

Duct Size 150mm













2153

Technical Data

Category Wall Type Hoods Size 50 - 60cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish


Performance Data

Max Flow Rate: 253m³/h Max Noise Level: 61 dB(A) Total Absorbation: 128W

Aluminium Casette Filter + Optional Carbon Filter Filter

Control 3S Mechanical Push Button Lighting 1x3W Bulb LED

Duct Size 120mm



Color

Inox Black White




















WALL-MOUNTED HOODS



3110

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass


Performance Data

Max Flow Rate: 637m³/h Max Noise Level: 65 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Optional Carbon Filter Filter Control 3S Soft Touch with Display

2x3W LED Lighting


150mm Duct Size





Color

Inox Black White



3173

Technical Data

Category Wall Type Hoods Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 710m³/h Max Noise Level: 65 dB(A) Total Absorbation: 281W


Aluminium Casette Filter + Optional Carbon Filter Filter 2S+1B Touch Control Control

2x1,5W G4 LED Lighting

150mm Duct Size



Color

















Duct Out Version Intern (Duct Out / Recirclation)

Performance Data

Max Flow Rate: 647m³/h Max Noise Level: 67 dB(A) Total Absorbation: 216W

Mechanical Push Button

2×3W LED Lighting 150mm
















Wall Type Hoods

60 - 70 - 80 - 90 - 120cm

Finish lnox

Aluminium Casette Filter + Optional Carbon Filter Filter 3S Soft Touch with Display / Control

Duct Size







BUILT-IN HOODS



INSIDE 4

DROP CONTROL





























Technical Data

Suspended Hood Category 60-90-120 cm Duct Out Veraion Intern (Duct Out/Recirclation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate 620 m³/h (60cm) / 635 m³/h (90&120cm)

Max Noise Level 64 dB(A)

Total Absorbation 218 W (60cm) / 220 W (90&120cm) Stainless Steel Casette Filter + Optional


Carbon Filter

Control 3S Touch Control 1x8 W LED Stripe (60cm) Lighting 1x10 W LED Stripe (90&120cm)

Duct Size 150 mm



Filter



BUILT-IN HOODS

3129 INSIDE 1

Technical Data

Category Built-in Hoods Size 60 - 90 - 120cm


Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Max Flow Rate: 465 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 128W

Performance Data

Aluminium Casette Filter + Optio-nal Carbon Filter

3S Slider Control Control 2x1,5W G4 LED Lighting Duct Size















3129 INSIDE 3

DROP CONTROL



Category Built-in Hoods 60 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Finish

Performance Data

620 m³/h (60cm) / 620 m³/h (90&120cm) Max Flow Rate:

Max Noise Level: 64 dB(A) 218W (60cm) / 220W (90&120cm) Total Absorbation:

Stainless Steel Casette Filter + Optional Carbon Filter Filter

Control 3S Touch Control 1x8W LED Stripe (60cm) /


Lighting 1x10W LED Stripe (90&120cm)

Duct Size 150mm



Color

Inox Black



3129 INSIDE 2

Technical Data

Category Built-in Hoods Size 60 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: Max Noise Level: 64 dB(A) Total Absorbation: 218W

Stainless Steel Casette Filter + Optional Carbon Filter Filter


3S Touch Control Control

1x8W LED Stripe Lighting

Duct Size








































1182 LIGHTFACE

Technical Data

Size

Finish















Black White

Performance Data Max Flow Rate: 709 m³/h

Max Noise Level: 69 dB(A)
Total Absorbation: 283W


Filter Stainless Steel Casette Filter + Optional Carbon Filter

Built-in Hoods

Inox + Tempered Glass

Duct Out Version Intern (Duct Out / Recirclation)

Control2S+1B Touch ControlLighting1x8W LEDDuct Size150mm













1176

Technical Data

Category Built-in Hoods
Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Tempered Glass

Performance Data

Max Flow Rate: 737 m³/h
Max Noise Level: 66 dB(A)
Total Absorbation: 281W

Filter Aluminium Casette Filter + Optional Carbon Filter

Control 3S+1B Soft Touch with Display

Lighting 3x1,1W Power LED


Duct Size 150mr

Color









BUILT-IN HOODS













1181 UHGHT

Technical Data

Category Built-in Hoods
Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 703 m³/h
Max Noise Level: 65 dB(A)
Total Absorbation: 284W

lter Stainless Steel Casette Filter + Optional Carbon Filter


2S+1B Touch Control
1x9W LED Stripe

Lighting 1x9W LED

Duct Size 150mm

. .





BUILT-IN HOODS



1180 HIDDEN

Technical Data

Category Built-in Hoods Size 50 - 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass

Performance Data


Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 292W

Stainless Steel Casette Filter + Optional Carbon Filter Filter

3S+1B Electrical Push Button Control

Lighting 1x17W LED Stripe

Duct Size 150mm





1162

Technical Data

Category Built-in Hoods 60cm Size

Duct Out Version Intern (Duct Out / Recirclation) Inox + Tempered Glass


Performance Data

Max Flow Rate: 530 m³/h Max Noise Level: Total Absorbation: 138W

Aluminium Casette Filter + Optional Carbon Filter Filter

3S Touch Control Control

2x1,5W G4 LED Lighting



Color

Color

Inox Black White

Inox Black White

























Color

Inox Black White Inox+

Color

Inox



60 - 90cm Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox + Tempered Glass

Performance Data


1175

642 m³/h Max Flow Rate: Max Noise Level: 69 dB(A) Total Absorbation: 272W

Stainless Steel Casette Filter + Filter Optional Carbon Filter

5S Soft Touch with Display Control 4x1,1W Power LED Lighting

Duct Size





Technical Data

Category Built-in Hoods Size 50-60-90cm

Duct Out Version Intern (Duct Out / Recirclation)


Inox + Tempered Glass

Performance Data

Max Flow Rate: 623 m³/h Max Noise Level: 67 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Chorcoal Carbon Filter

3S Touch Control Control 2x3W LED Lighting Duct Size 150mm





























BUILT-IN HOODS









































1184

Category

Size



60

Duct Out Version Intern (Duct Out / Recirclation)



Built-in Hoods

Inox + Tempered Glass

















1350

Technical Data

Built-in Hoods Category 60cm Size

Duct Out Version Intern (Duct Out / Recirclation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 254W

Aluminium Casette Filter + Filter Chorcoal Carbon Filter Control 3S Touch Control / Rocker

Lighting 2x2W Bulb LED Duct Size 120mm

Color





1190

Technical Data

Category Built-in Hoods 40 - 50 - 60 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation)

Performance Data

Max Flow Rate: 410 m³/h Max Noise Level: 69 dB(A) Total Absorbation: 126W

Aluminium Casette Filter + Filter Chorcoal Carbon Filter

Control 3S Rocker Lighting 2x3W LED Duct Size 120mm

Color









Duct Out Version Intern (Duct Out / Recirclation)

1151

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 256W

Aluminium Casette Filter + Filter Chorcoal Carbon Filter Control 3S Touch Control / Rocker

Lighting 2x3W LED Duct Size 120mm

Color











Technical Data

Category Built-in Hoods 60 - 70 - 90cm Size

Performance Data

Technical Data

Max Flow Rate: 431 m³/h Max Noise Level: 63 dB(A) Total Absorbation: 131W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Slider Control

Lighting 2x3W LED Duct Size 150mm

Color







1201

Technical Data

Category Built-in Hoods 60 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation)

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 254W


Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Mechanical Push Button

Lighting 2x2W Bulb LED Duct Size 120mm

Color

















Technical Data

Category Size

Duct Out Version Intern (Duct Out / Recirclation)

Performance Data

Max Flow Rate: 215 m³/h Max Noise Level: 67 dB(A)


Aluminium Casette Filter + Optional Carbon Filter 3S Mechanical Push Button


Lighting 2x3W Bulb LED Duct Size


Color

















ACCESSORIES

EXTERNAL MOTORS











1240

Technical Data

Category Extern Motor lnox Finish

Performance Data

Max Flow Rate: 800 m³/h Total Absorbation: 275W Duct Size 150mm

1250

Technical Data

Category Extern Motor Finish lnox

Performance Data

Max Flow Rate: 1400 m³/h Total Absorbation: 550W Duct Size 200mm

1260

Color

Inox

Technical Data

Category Extern Motor Finish Inox

Performance Data

Max Flow Rate: Total Absorbation: 280W Duct Size 150mm

1270

Technical Data

Category Extern Motor Finish lnox

Performance Data

Max Flow Rate: Total Absorbation: 200W Duct Size 150mm

1280

Technical Data

Category Technology Finish Inox

Performance Data


Duct Size


Color

lnox


























REMOTE CONTROLS

CURVED REMOTE CONTROL





ERGONOMICS

Curved design which fits ergonomics of hand perfectly.

USER-FRIENDLY

Control all of the hood features at a touch.

RECHARGEABLE

Lithium battery, rechargeable by the included micro USB cord.

MAGNETIC

Magnets placed inside the body allow it to be securely placed on any metal surface.

STANDARD REMOTE CONTROL







RETRO SERIES

Color

Beige Gold



2234

Technical Data

Category Retro Hoods 60 - 90cm Size

Duct Out Version Intern (Duct Out / Recirclation)

Finish Inox


Performance Data

Max Flow Rate: 606 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 310W

Aluminium Casette Filter + Optional Carbon Filter Filter

Control 3S Soft Touch with Display

2x3W LED Lighting 150mm Duct Size















2238

Technical Data

Category Retro Hoods Size 50 - 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)

2222


Finish

Performance Data

Max Flow Rate: 636 m³/h Max Noise Level: 67 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Optional Carbon Filter Filter 3S Mechanical Push Button Control

Lighting 2x3W LED Duct Size 150mm



Black Beige Claret



2120

Technical Data

Category Retro Hoods Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirclation)


Finish

Performance Data

Max Flow Rate: 648 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Mechanical Push Button Control

2x3W LED Lighting Duct Size 150mm



Inox Black Beige Claret


























RETRO SERIES













RS6235R02

RS6235C02

RS6235B02



Built-in Electric Oven Oven Type

57 liter A Energy class

Cooking Functions 6 functions

Grill, thermostat, turbo fan Cooling fan

Cleaning

Comfort Analog timer - Time programmer


2 standard retro knobs Removable side racks Oven light

Double glass door

Accessories 1 chrome grid, 2 deep trays

595x562x595 Dimensions







5 Level

6

5 Level

6

Comfort

5

MW9033C01

Microwave Type 20 Lt Capacity

Cooking Function Microwave + Grill cooking

Comfort 3 Combination power settings

30 minutes mechanic timer Cooking end signal

Pull handle door, defrost setting

Safety

Others Power output 800w

1100W grill Glass turntable

Metal rack Stainless cavity and silver housing

MW9033R01

Microwave Type Built-In Microwave 20 Lt Capacity

Cooking Function Microwave + Grill cooking

Comfort 3 Combination power settings

30 minutes mechanic timer Cooking end signal

Pull handle door, defrost setting

Safety

Others Power output 800w

1100W grill Glass turntable

Metal rack Stainless cavity and silver housing

MW9033B01

Microwave Type Built-In Microwave 20 Lt Capacity

Cooking Function Microwave + Grill cooking

3 Combination power settings 30 minutes mechanic timer


Cooking end signal
Pull handle door, defrost setting


Safety


Others Power output 800w

1100W grill Glass turntable Metal rack

Stainless cavity and silver housing







97



RETRO SERIES





























































RS5336C01

Hob Features Built-in

70cm Beige

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 680 x 500 x 90mm Cut Out Dimensions (WxDxH): 553 x 473mm 1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W

1 x WOK burner: 3300 W
1 x Rapid burner: 3000 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 10800 W
Gas Type: NG
NG/LPG Options

RS5322C01

Hob Features Built-in

60cm Beige

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

Auto Ignition Front Mechanical Control

Safety

Other Features

atures Product Dimensions (WxDxH): 580 x 500 x 35mm
Cut Out Dimensions (WxDxH): 553 x 473mm
1 x WOK burner: 3300 W
1 x Rapid burner: 3000 W

1 x Rapid burner: 3000 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 9050 W Gas Type: NG NG/LPG Options

RS5322B01

Hob Features Built-in

60cm Black

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety

Other Features Pro

Product Dimensions (WxDxH): 580 x 500 x 35mm
Cut Out Dimensions (WxDxH): 553 x 473mm
1 x WOK burner: 3300 W
1 x Rapid burner: 3000 W
1 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 9050 W

Gas Type: NG

NG/LPG Options

RS5336B01

Hob Features Built-in

70cm Black

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety

Other Features Product Dimensions (WxDxH):

680 x 500 x 90mm Cut Out Dimensions (WxDxH): 553 x 473mm

553 x 473mm
1 x WOK burner: 3300 W
1 x Rapid burner: 3000 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W

Maximum Power: 10800 W Gas Type: NG NG/LPG Options

RS5322R01

Hob Features Built-in

Bordeaux

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety /

Other Features

ures Product Dimensions (WxDxH): 580 x 500 x 35mm

NG/LPG Options

Cut Out Dimensions (WxDxH): 553 x 473mm

1 x WOK burner: 3300 W
1 x Rapid burner: 3000 W

1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 9050 W Gas Type: NG

RS5336R01

Hob Features

Safety

Built-in 70cm Bordeaux

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control


Other Features Product Dimensions (WxDxH):


680 x 500 x 90mm Cut Out Dimensions (WxDxH):


553 x 473mm 1 x WOK burner: 3300 W 1 x Bapid burner: 3000 W


1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 10800 W Gas Type: NG


NG/LPG Options
















The kind of multi-functionality that adds taste to your meals and makes expert cooks envious at the same time is now integrated with a multi-dimensional understanding of design.







SELFCLEAN +

The quick and easy option for effortless cleaning thanks to catalytic panels. The back and side wall panels absorbs dirt that splashes from food.



SELFCLEAN

Above advantage is available only for back wall.





EASY CLEANING

The easy cleaning for day to day





Anti-finger inox surface provides comfort in cleaning.





SOFT CLOSE

It slows down the movement of the door and ensures your oven door closes gently.



SOFT OPEN CLOSE

It slows down the movement of the door and ensures your oven door opens and closes gently.





EASY EXTRACT

It enables to remove easily the front glass panels of the oven.





STEAM CLEAN

The heat turns water into steam and softens food residuals for easy cleaning.



LEGENDS

OVENS









S5 - BO6505B01

S5 - BO6505X01



Built-in Electric Oven Oven Type

A+ Energy class

Cooking Functions 14 functions 3D Airmove

Pizza Chef

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Keep warm function

Eco mode for energy saving

Cooling fan

Self Clean+ Cleaning

Steam Clean Easy Extract

Anti-finger inox (BO6505X01)

Advanced LED screen touch button control Comfort

Endless ring navigator knob control

Screen child lock Removable side racks

2 telescopic rails

Oven light

Meat probe which enables to measure the


meat's cooking degree Triple glass door (Cool Door)

Soft Close Door

1 chrome grid, 1 deep and 1 standard tray Accessories

Pizza stone (optional)

Dimensions 595x547x595



MULTIFUNCTION ELECTRIC OVENS





S5 - BO6505S01

S5 - BO6505M01



Built-in Electric Oven Oven Type

72 liter

A+ Energy class

Cooking Functions 14 functions

3D Airmove

Pizza Chef

Rapid pre-heating Maxi grill, thermostat, turbo fan

Keep warm function

Eco mode for energy saving

Cooling fan

Cleaning Self Clean+

Steam Clean Easy Extract

Comfort Advanced LED screen touch button control Endless ring navigator knob control

Screen child lock Removable side racks

2 telescopic rails

Oven light

Meat probe which enables to measure the meat's cooking degree

Triple glass door (Cool Door)

Soft Close Door

Accessories

Pizza stone (optional)

Dimensions 595x547x595






















S5 T - BO6505B02





S5 T - BO6505X02









S5 T - BO6505M02



Built-in Electric Oven Oven Type

A+ Energy class

Cooking Functions 14 functions

3D Airmove

Pizza Chef Rapid pre-heating

Maxi grill, thermostat, turbo fan

Keep warm function Eco mode for energy saving

Cooling fan

Cleaning Self Clean+

Steam Clean Easy Extract

Anti-finger inox (BO6505X02)

Advanced LED screen touch button control Comfort

Screen child lock Removable side racks 2 telescopic rails

Oven light

Meat probe which enables to measure the meat's cooking degree

Triple glass door (Cool Door)

Soft Close Door

595x547x595


Accessories


1 chrome grid, 1 deep and 1 standard tray

Pizza stone (optional)

Dimensions









A+ Energy class

Cooking Functions 14 functions

3D Airmove Pizza Chef

Rapid pre-heating

Maxi grill, thermostat, turbo fan Keep warm function Eco mode for energy saving

Cooling fan

Self Clean+ Cleaning

Steam Clean Easy Extract

Comfort Advanced LED screen touch button control

Screen child lock Removable side racks 2 telescopic rails

Oven light Meat probe which enables to measure the

meat's cooking degree Triple glass door (Cool Door) Soft Close Door

1 chrome grid, 1 deep and 1 standard tray Accessories

Pizza stone (optional)

595x547x595 Dimensions






























S4 - BO6504B01

S4 - BO6504X01

S4 - BO6504S01

S4 - BO6504M01



Oven Type Built-in Electric Oven

A Energy class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Self Clean Steam Clean Easy Extract

Anti-finger inox (BO6504X01)

Comfort Advanced digital timer - Alarm and time

programmer 2 push-pull knobs Screen child lock Removable side racks Telescopic rail Oven light

Double glass door Accessories 1 chrome grid, 1 deep and 1 standard tray

Dimensions 595x547x595




















Built-in Electric Oven Oven Type

72 liter

A Energy class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Self Clean + Steam Clean Easy Extract

Comfort Advanced digital timer - Alarm and time

programmer 2 push-pull knobs Screen child lock Removable side racks Telescopic rail Oven light Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

595x547x595 Dimensions


































S3 - BO6503X01



Oven Type Built-in Electric Oven

A Energy Class

Cooking Functions 8 functions

3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Self Clean Steam Clean

Easy Extract

Anti-finger inox (BO6503X01)

Comfort

Mechanical timer 3 push-pull knobs Removable side racks Telescopic rail

Oven light
Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

595x547x595 Dimensions






























S3 - BO6503S01

S3 - BO6503M01



Built-in Electric Oven Oven Type

72 liter

A Energy Class

Cooking Functions 8 functions

3D Airmove Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Self Clean Cleaning

Steam Clean Easy Extract

Mechanical timer Comfort

3 push-pull knobs Removable side racks Telescopic rail Oven light

Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

595x547x595 Dimensions




























S2 - BO6502B01

S2 - BO6502X01

S1 - BO6501X01

Oven Type Built-in Electric Oven

A Energy Class

Cooking Functions 6 functions Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Steam Clean Easy Extract Cleaning

Anti-finger inox (BO6502X01) Comfort

Digital timer - Alarm and time programmer 2 standard knobs

Removable side racks

Oven light
Double glass door

1 chrome grid, 1 deep and 1 standard tray

595x547x595 Dimensions

Accessories

S1 - BO6501B01

Built-in Electric Oven Oven Type

72 liter

A Energy Class

Cooking Functions 6 functions

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Steam Clean Easy Extract

Anti-finger inox (BO6501X01) Comfort 2 standard knobs

Removable side racks Oven light

Double glass door


Accessories 1 chrome grid, 1 deep and 1 standard tray

Dimensions 595x547x595


























ELECTRIC OVENS

MULTIFUNCTION ELECTRIC OVENS



S1 EL - BO6501B03



Comfort

Oven Type Built-in Electric Oven

66 liter A Energy Class

Cooking Functions 4 functions

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Steam Clean

Easy Extract

2 standard knobs Embossed cavity Oven light

Double glass door

Accessories 1 chrome grid, 1 deep tray


Dimensions 595x547x595













BO6233X01



Oven Type Built-in Electric Oven

91 liter

A Energy Class

Cooking Functions 9 functions

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Anti-finger inox

Comfort Mechanical timer

3 standard knobs Removable side racks Oven light


Double glass door

Accessories 1 chrome grid, 1 deep tray

Dimensions 899x538x480









GAS OVENS











BO6085X01



BO6087X01



BO6232X01



BO6277X01





45 liter Gas Top and Gas Bottom Heating

Cooking Functions 3 functions Turnspit (Optional)

Cleaning

Comfort Digital timer - Alarm and time

Cooling fan

programmer 2 standard knobs Automatic Ignition Flame Failure Device

Oven light Double glass door

Accessories 1 chrome grid, 1 deep tray

595x540x595 Dimensions

Oven Type Built-in Gas Oven

45 liter Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit (Optional) Cooling fan

Cleaning

Comfort 2 standard knobs

Automatic Ignition Flame Failure Device Oven light Double glass door

Accessories 1 chrome grid, 1 deep tray

Dimensions 595x540x595 Oven Type Built-in Gas Oven 88 liter

Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit Thermostat

Cleaning Anti-finger inox

Comfort

Mechanical timer 3 standard knobs Automatic Ignition Flame Failure Device Removable side racks 2 oven lights Double glass door

Accessories 1 chrome grid, 1 deep tray

890x538x480 Dimensions



Oven Type Built-in Gas Oven

88 liter Gas Top and Gas Bottom

Heating

Cooking Functions 3 functions Turnspit

Turbo fan

Cleaning

Mechanical timer Comfort Oven light

Double glass door

1 chrome grid, 1 standard tray Accessories

895x551x594 Dimensions

BO6277B01



Oven Type Built-in Gas Oven 88 liter

Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit Turbo fan


Cleaning


Mechanical timer Comfort Oven light


Double glass door


1 chrome grid, 1 standard tray Accessories


895x551x594 Dimensions











FREE STANDING COOKERS



FO6263B01

..













Oven Type Free-Standing Gas Oven

50x60, 50x60 or 60x60 size

options

Electric Top and Gas Bottom Heating

Cooking Functions 4 Gas Burners

Comfort


Glass Top Lid Enamel Pan Support Automatic Ignition

Oven light
Double Glass Oven Door
Adjustable feet

1 chrome grid, 1 standard tray Accessories

Dimensions

Cleaning













Cooking Functions 4 Hot Plates (F06278W01) 4 VTC zones (F06279W01)

Turnspit (Optional) Thermostat Turbo fan (Optional) (FO6278W01)

Cleaning

Oven Type

Comfort

Oven light Double Glass Oven Door

1 chrome grid, 1 standard tray Accessories

Dimensions



MICROWAVES

The meals you like in just one touch! Silverline offers wide range built-in microwave ovens that complete your kitchen design.

MICROWAVE OVENS













8 rogram

Comfort

23 Litre

5 Seviy

Program

Microwave Type

34 Liter

5 Level

Built-In Microwave

34 Lt Capacity

8 Progran 25 Liter 5 Level 8 Progra

Others

5 Leve

8

Others

Microwave Type Built-In Microwave 23 Lt Capacity

MW9018B01

Cooking Function Microwave + Grill cooking

Multi-cooking function
8 auto cooking programs
2 combination cooking programs

(microwave & grill) Pre-set Cooking

5

Comfort Digital Clock / 95 min. non-

segment digital timer
5 microwave power levels
Cooking end signal
Quick start

Auto defrost function

Safety Child safety lock

1400W input microwave power 1000 W grill power

Metal rack
Glass turntable
Stainless steel interior
Black glass built-in frame

MW9018X01

Microwave Type Built-In Microwave 23 Lt Capacity

23 Liter

Cooking Function Microwave + Grill cooking

Multi-cooking function
8 auto cooking programs
2 combination cooking programs
(microwaya & grill)

(microwave & grill) Pre-set Cooking

Comfort Digital Clock / 95 min. nonsegment digital timer

5 microwave power levels
Cooking end signal
Quick start

Auto defrost function

Safety Child safety lock

Others 1400W input microwave po

1400W input microwave power 1000 W grill power Metal rack Glass turntable Stainless steel interior Black glass built-in frame

MW9018W0

Microwave Type Built-In Microwave 23 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

Multi-cooking function
8 auto cooking programs
2 combination cooking programs

(microwave & grill) Pre-set Cooking

Digital Clock / 95 min. non-

segment digital timer 5 microwave power levels Cooking end signal

Quick start
Auto defrost function

Safety Child safety lock

Others 1400W input microwave power

1000 W grill power Metal rack Glass turntable Stainless steel interior Black glass built-in frame

Cooking Function Microwave + Grill cooking Multi-cooking function 8 auto cooking programs

MW9025X01

8 auto cooking programs
2 combination cooking programs
Comfort 95 Minute timer
5 microwave power levels

Cooking end signal
Quick start
Defrost by weight and time
Door Release Button

Safety Child safety lock

Others

Anti finger stainless steel control panel and front exterior
White colour LED digital display 1550W input microwave power

1000 W grill power Stainless steel interior Metal rack Glass turntable

grill power s steel interior

Silver Buttons + Aluminum Dial Push Pull Knob

MW9013X01

Microwave Type Built-In Microwave 25 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

Pre-set Cooking 8 auto cooking programs 2 combination cooking programs (microwave & grill)

Comfort Digital Clock / 95 min. non-

segment digital timer
5 microwave power levels
Cooking end signal
Quick start

Auto defrost function Push-out door

Safety Child safety lock

Others 1450W input microwave power 1000 W grill power

1000 W grill power Stainless steel interior / frontal panel Stainless steel built-in frame

Metal rack Glass turntable

MW9024S01

Microwave Type Built-In Microwave 25 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

8 auto cooking programs
2 combination cooking programs
(microwave & grill)

Comfort Digital Clock / 95 min. non-

segment digital timer
5 microwave power levels
Cooking end signal
Quick start


Defrost by weight and time


Safety Child safety lock


White colour LED digital display 1450W input microwave power


1000 W grill power Stainless steel interior / window glass frontal panel


Metal rack
Glass turntable
Aluminum Handle Door














MICROWAVE **OVENS**



5 Level

MW9012X01

Microwave Type Built-In Microwave 20 Lt Capacity

Cooking Function Microwave + Grill cooking

Multi-cooking function 8 auto cooking programs

2 combination cooking programs (microwave & grill)

Pre-set Cooking

Digital Clock / 95 min. non-segment digital timer Comfort

5 microwave power levels Cooking end signal

Quick start

Defrost by weight and time

Auto reheat

Safety Child safety lock


1250W input microwave power Others

1000 W grill power Stainless steel interior / window

glass frontal panel Stainless steel built-in frame

Metal rack Glass turntable

Anti finger Option without anti finger





MW9035B01

Microwave Type Built-In Microwave 20 Lt Capacity

Cooking Function Microwave + Grill cooking

8 auto cooking programs 2 combination cooking programs

(microwave & grill) Express cooking Pre-set Cooking

Comfort Digital clock

6 microwave power levels Cooking end signal


Cooking timer

Auto & Speed Defrost function

Safety Child safety lock Others 900 W grill power

700 W output microwave power

Glass turntable Stainless steel interior





HOBS

Very step on the path to culinary art forms a part of a whole. Strong designs, advanced technology, multifunctionality.





GAS HOB

Combustion of gas is used as the source of heat.



SMART CONNECT

It is possible to control the various functions of the hood directly from the hob.



VITROCERAMIC HOB

Intensive heat - resistant and shockproof ceramic glass surface (Resistant up to 850°C)



GAS PROOF SAFETY

It cuts off the gas supply immediately to ensure full safety.



INDUCTION HOB

It is the high-frequency electromagnetic feature which transforms the container into a heat generator rather than conveying the heat it generated to the container



BRIDGE

Two separate cooking zones can be used as a single and large surface.



EASY CLEANING

Easy cleaning for day to day maintenance.



AFTER HEAT INDICATOR

The post-heating indicator shows whether it is safe to touch the surface.



WIDTH

The width of the oven. (30-90 cm)



TIME ASSISTANCE

The function of the closure of timer closes all of hotplates safety when selected time expired.



FIRING IGNITION

Automatic ignition system.



CHILD SCREEN LOCK

The child safety lock inhibits all functions of the hob with a single button.



FIRE CONTROL

Gives you precise, convenient fire control over all cooking zones.



BOOSTER

This function is used to heat the oven rapidly; it is not suitable for cooking food.

VITRO CERAMIC HOBS















































VC5452B01

Hob Features Built-in

30cm Black

Comfort Features 2 Radiant Zones

Touch Control Timer

Child Safety Lock Safety

Residual Heat Control

Automatic Safety Switch Off

Product Dimensions (WxDxH): Other Features

290 x 520 x 68,5mm Cut Out Dimensions (WxDxH):

260 x 490mm Front Right Zone Size / Power:

165 / 1200 W

Rear Right Zone Size / Power:

200 / 1800 W Maximum Power: 3000 W





Hob Features

Safety

Comfort Features

Other Features

- 🔓 -



VC5446B01





Built-in

60cm

Black

4 Radiant Zones

Child Safety Lock

590 x 520 x 50mm

560 x 490mm

200 / 1800 W

230 / 2300 W

165 / 1200 W

230 / 2300 W

Residual Heat Control

Automatic Safety Switch Off

Product Dimensions (WxDxH):

Cut Out Dimensions (WxDxH):

Front Right Zone Size / Power:

Rear Right Zone Size / Power:

Front Left Zone Size / Power:

Rear Left Zone Size / Power:

Maximum Power: 7600 W

Touch Control















Hob Features Built-in

60cm Black

Timer

Comfort Features 3 Radiant Zones Hood Control Slider Control

Child Safety Lock Safety

Residual Heat Control Automatic Safety Switch Off

Product Dimensions (WxDxH): Other Features 590 x 520 x 50mm

Cut Out Dimensions (WxDxH):

560 x 490mm Front Left Zone Size / Power:

175 mm 1800 W

Rear Left Zone Size / Power:

140 mm 1200 W

Mid Zone Size / Power:

140, 210, 270 / 1050, 1950, 2700W Maximum Power: 5700 W













VC5338B01

Hob Features Built-in 77cm

Black

Comfort Features 4 Radiant Zones Touch Control

Timer

Child Safety Lock Safety

Residual Heat Control Automatic Safety Switch Off

Product Dimensions (WxDxH): Other Features

770 x 510mm

Cut Out Dimensions (WxDxH):

750 x 490 x 55mm

Front Right Zone Size / Power: 140 / 1200 W

Rear Right Zone Size / Power:

180 / 1800 W Front Left Zone Size / Power:

140 / 1200 W

Maximum Power: 6300 W

Rear Left Zone Size / Power: 210 / 2100 W











Hob Features

Other Features

Built-in 60cm White

Comfort Features 4 Radiant Zones


Child Safety Lock Residual Heat Control Automatic Safety Switch Off


600 x 510mm Cut Out Dimensions (WxDxH):


560 x 490mm Front Right Zone Size / Power: 140 / 1200 W


Rear Right Zone Size / Power:


180 / 1800 W Front Left Zone Size / Power 140 / 1200 W Rear Left Zone Size / Power:











INDUCTION HOBS





















Hob Features Built-in

30cm Black

Comfort Features 2 Induction Zones

Booster Touch Control Timer

Safety Child Safety Lock

Other Features Product Dimensions (WxDxH):

290 x 520 x 68,5mm Cut Out Dimensions (WxDxH):

Maximum Power: 3500 W

260 x 490mm Front Right Zone Size / Power: 160 / 1200 W (B 1500 W) Rear Right Zone Size / Power: 180 / 2000 W (B 2300 W)





















IH5445B01

Hob Features Built-in

60cm Black

Comfort Features 4 Induction Zones Booster

Touch Control Timer

Child Safety Lock

Other Features

Safety

Product Dimensions (WxDxH): 590 x 520 x 50mm Cut Out Dimensions (WxDxH): 565 x 495mm Front Right Zone Size / Power: 160 / 1200 W (B 1500 W) Rear Right Zone Size / Power: 180 / 1800 W (B 2300 W) Front Left Zone Size / Power: 180 / 1800 W (B 2300 W) Rear Left Zone Size / Power: 160 / 1200 W (B 1500 W)

Maximum Power: 6400 W





















Hob Features Built-in

60cm Black

Comfort Features 3 Induction Zones

Booster Touch Control

Bridge Timer Keep Warm Pause and Go

Child Safety Lock Safety

Other Features

Product Dimensions (WxDxH): 590 x 520 x 50mm Cut Out Dimensions (WxDxH):

565 x 495mm

Front Right Zone Size / Power:

180 / 2000 W Rear Right Zone Size / Power:

180 / 2000 W Mid Zone Size / Power:

280 / 3600 W Maximum Power: 7200 W













139









IH5448B01

Hob Features Built-in 60cm

Black

Comfort Features 4 Induction Zones

Hood Control Booster Touch Control Bridge Timer Keep Warm

Pause and Go

Child Safety Lock Safety

Product Dimensions (WxDxH): Other Features

590 x 520 x 50mm Cut Out Dimensions (WxDxH):


565 x 495mm Front Right Zone Size / Power:


180 / 2000 W Rear Right Zone Size / Power:


180 / 2000 W


Front Left Zone Size / Power: 180 / 2000 W Rear Left Zone Size / Power:


180 / 2000 W Maximum Power: 7200 W











GLASS BUILT-IN HOBS













Hob Features Built-in 60cm Black

Comfort Features Enamel Pan Supports 4 Gas Burners

Auto Ignition Side Mechanical Control


Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x Rapid burner: 2900 W $^{\dot{\cdot}}$ 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W Gas Type: NG NG/LPG Options















CS5343B01

Hob Features Built-in 60cm

Black

Comfort Features Cast Iron Pans Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Safety Gas Safety Device

Product Dimensions (WxDxH): Other Features

590 x 520 x 55mm

Cut Out Dimensions (WxDxH): 560 x 490mm

1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG

NG/LPG Options



Hob Features

60cm White

Comfort Features Enamel Pan Supports 4 Gas Burners


Auto Ignition
Side Mechanical Control

Gas Safety Device

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): Other Features

560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W Gas Type: NG NG/LPG Options



00:













Hob Features

60cm White

Comfort Features Cast Iron Pans Supports


Auto Ignition Side Mechanical Control

Safety Gas Safety Device


Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): Other Features


1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG NG/LPG Options























Hob Features

Built-in 60cm Mink

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W Gas Type: NG NG/LPG Options



















Hob Features

Built-in 60cm Mink

Comfort Features Enamel Pan Supports 4 Gas Burners Auto Ignition

Side Mechanical Control

Safety

Gas Safety Device

Other Features

590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

Product Dimensions (WxDxH):













CS5364M01

Hob Features

Built-in 75cm Mink

Comfort Features


Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control


Safety


Other Features

Gas Safety Device

Product Dimensions (WxDxH): 750 x 520 x 55mm
Cut Out Dimensions (WxDxH): 560 x 490mm
1x WOK burner: 3800 W
1 x Rapid burner: 2900 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 11200 W
Gas Type: NG
NG/LPG Options



















































Hob Features

Built-in 60cm Grey

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety

Gas Safety Device

NG/LPG Options

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG

CS5343S01

Hob Features

Built-in 60cm Grey

Comfort Features Cast Iron Pans Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG

NG/LPG Options





CS5429S01

Hob Features

Built-in 60cm Grey

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options













Hob Features

Built-in 75cm Grey

Comfort Features Cast Iron Pans Supports

4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Gas Safety Device

Gas Type: NG

NG/LPG Options

Other Features

Safety

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W













CS5365S01

Hob Features

Built-in 75cm Grey

Comfort Features Enamel Pan Supports

4 Gas Burners 1 WOK Auto Ignition

Front Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features


750 x 520 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm 1 x WOK burner: 3800 W


1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W


1 x Auxiliary burner: 1000 W Maximum Power: 11200 W


Gas Type: NG NG/LPG Options












145


























Hob Features

Built-in 60cm Black

Comfort Features Cast Iron Pans Supports

3 Gas Burners 1 Hot Plate Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Rear Right Zone Size / Power: 145 / 1500W

Maximum Power: 7150 W Gas Type: NG NG/LPG Options





CS5436B01

















Built-in 60cm Black

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Built-in

60cm

Black

Other Features

Hob Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options





60 cm

CS5429B01

Hob Features

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options













Hob Features

Built-in 60cm White

Comfort Features Cast Iron Pans Supports

3 Gas Burners 1 WOK Auto Ignition
Side Mechanical Control

Safety

Gas Safety Device

Other Features

590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W


2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options











Hob Features

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 Hot Plate Auto Ignition Side Mechanical Control

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH):

1 x Asmi-rapid burner: 1750 W 1 x Asmi-rapid burner: 1750 W 1 x Assiliary burner: 1000 W Rear Right Zone Size / Power: 145 / 1500W Maximum Power: 7150 W Gas Type: NG














Hob Features

Built-in 60cm White

Comfort Features Enamel Pan Supports


Auto Ignition
Front Mechanical Control


Other Features


Safety


Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm
1 x Rapid burner: 2900 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 7400 W
Gas Type: NG
NG/LPG Options

















































Hob Features

Built-in 60cm Black

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Front Mechanical Control

Gas Safety Device

Other Features

Safety

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W

Gas Type: NG

NG/LPG Options

CS5364B01

Hob Features

Built-in 75cm Black

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition

Safety

Other Features Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

NG/LPG Options

Gas Safety Device

1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG

Front Mechanical Control







CS5407B01

Hob Features

Built-in 60cm Black

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Gas Safety Device

Other Features


Safety

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options











Hob Features

Safety

Other Features









3 Gas Burners 1 WOK Auto Ignition
Front Mechanical Control

Gas Safety Device

Gas Type: NG NG/LPG Options

590 x 520 x 55mm Cut Out Dimensions (WxDxH):

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W


560 x 490mm 1 x WOK burner: 3800 W



Built-in

60cm White

Comfort Features Cast Iron Pans Supports



Hob Features

Comfort Features Cast Iron Pans Supports

Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Other Features

590 x 520 x 55mm Cut Out Dimensions (WxDxH) 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options














Hob Features

Built-in 75cm White

Comfort Features Cast Iron Pans Supports


Auto Ignition Front Mechanical Control


Gas Safety Device


Safety Other Features


Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W


1 x WOK burner: 3800 W 1 x Rapid burner: 2900: W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options





























Hob Features


Built-in 90cm White

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 860 x 520 x 55mm Cut Out Dimensions (WxDxH): Cut Out Dimensions (WxDxH):
830x490mm
1 x WOK burner: 3800 W
1 x Rapid burner: 2900 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 11200 W
Gas Type: NG
NG/LPG Options





















CS5363B01

Hob Features

Built-in 90cm Black


Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 860 x 520 x 55mm
Cut Out Dimensions (WxDxH): 830 x 490mm
1 x WOK burner: 3800 W
1 x Rapid burner: 2900 W
2 x Semi-rapid burner: 1750 W
1 x Audiliary burner: 11200 W
Maximum Power: 11200 W
Gas Type: NG
NG/LPG Options

















CS5365B01

Hob Features Built-in

75cm Black

Comfort Features Enamel Pan Supports

4 Gas Burners 1 WOK Auto Ignition

Front Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features


750 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG

NG/LPG Options

















Built-in Hob Features

75cm White


Comfort Features Enamel Pan Supports 4 Gas Burners 1 WOK Auto Ignition
Front Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH):
750 x 520 x 55mm
Cut Out Dimensions (WxDxH):
560 x 490mm
1 x WOK burner: 3800 W
1 x Rapid burner: 2900 W
2 x Semi-rapid burner: 1750 W
1 x Auxiliary burner: 1000 W
Maximum Power: 11200 W
Gas Type: NG
NG/LPG Options



















Hob Features Built-in

30cm Black

Comfort Features Cast Iron Pans Supports 2 Gas Burners

Auto Ignition

Front Mechanical Control

Gas Safety Device

Safety

Other Features Product Dimensions (WxDxH):

300 x 520 x 55mm Cut Out Dimensions (WxDxH):

260 x 490mm

260 x 490mm 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 2750 W Gas Type: NG NG/LPG Options













CS5411B01

Hob Features Built-in 30cm

Black

Comfort Features Cast Iron Pans Supports


1 WOK Auto Ignition


Front Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): 300 x 520 x 55mm Cut Out Dimensions (WxDxH): Other Features

Cut Out Dimensions (WXDXF 260 x 490mm 1 x WOK burner: 3800 W Maximum Power: 3800 W Gas Type: NG NG/LPG Options






153

MYFLAME HOBS

My**Flame**















CS5427B01

Hob Features Built-in

60cm Black

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

My**Flame**

















CS5426B01

Hob Features

Built-in 75cm Black


Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition


Safety


Gas Safety Device

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options








STAINLESS STEEL HOBS

























































AS5378X01

Hob Features Built-in

60cm Inox

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 600 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm 1 x Rapid burner: 2750 W 2 x Semi-rapid burner: 1700 W

1 x Auxiliary burner: 900 W Maximum Power: 7050 W Gas Type: NG NG/LPG Options

AS5379X01

Hob Features Built-in

60cm Inox

Comfort Features Enamel Pan Supports

3 Gas Burners 1 Hot Plate Auto Ignition

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 600 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm 1 x Rapid burner: 2750 W 1 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W Rear Left Zone Size / Power: 145 / 1500W Maximum Power: 6850 W

Gas Type: NG NG/LPG Options

Side Mechanical Control

AS5408X01

Hob Features Built-in

60cm Inox

Comfort Features

Enamel Pan Supports 4 Gas Burners Auto Ignition Front Mechanical Control

Gas Safety Device

Other Features

Safety

Product Dimensions (WxDxH): 600 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm 1 x Rapid burner: 2750 W 2 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W Maximum Power: 7050 W Gas Type: NG NG/LPG Options

AS5380X01

Hob Features

Built-in 60cm lnox

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition

Front Mechanical Control

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH): 600 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm

1 x Rapid burner: 2750 W 2 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W Maximum Power: 7050 W Gas Type: NG

NG/LPG Options

AS5381X01

Hob Features Built-in 60cm

Inox

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

600 x 515 x 110mm Cut Out Dimensions (WxDxH):

560 x 485mm

1 x WOK burner: 2500 W

2 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W

Maximum Power: 6800 W

Gas Type: NG NG/LPG Options

AS5051X04

Hob Features

Safety

Built-in 60cm Inox

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Gas Safety Device

Product Dimensions (WxDxH): Other Features


580 x 510 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm


1 x Rapid burner: 2900 W


2 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W


Maximum Power: 7200 W Gas Type: NG NG/LPG Options

















157


STAINLESS STEEL HOBS



























































AS5238X01

Hob Features Built-in

60cm Inox

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Front Mechanical Control

Safety Other Features

Product Dimensions (WxDxH): 580 x 510x 50mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7500 W Gas Type: NG

Gas Safety Device

NG/LPG Options

AS5443X01 Built-in

Hob Features

60cm Inox

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 580 x 510 x 50mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG

NG/LPG Options

Front Mechanical Control

AS5409X01

Hob Features Built-in

70cm Inox

Comfort Features Cast Iron Pans Supports

4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Gas Safety Device

Safety Other Features

Product Dimensions (WxDxH): 700 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm 1 x WOK burner: 2500 W 1 x Rapid burner: 2750 W 2 x Semi-rapid burner: 1700 W

1 x Auxiliary burner: 900 W

Maximum Power: 9550 W Gas Type: NG NG/LPG Options

AS5382X01

Hob Features Built-in

70cm Inox

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH):

700 x 515 x 110mm Cut Out Dimensions (WxDxH): 560 x 485mm 1 x WOK burner: 2500 W

1 x Rapid burner: 2750 W 2 x Semi-rapid burner: 1700 W 1 x Auxiliary burner: 900 W Maximum Power: 9550 W

Gas Type: NG NG/LPG Options

AS5241X01

Hob Features Built-in 75cm

Inox

Comfort Features Enamel Pan Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

750 x 510 x 50mm Cut Out Dimensions (WxDxH):

560 x 490mm

1 x WOK burner: 3800 W 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Gas Type: NG NG/LPG Options

AS5444X01

Hob Features Built-in

Safety

75cm Inox

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Gas Safety Device

Other Features Product Dimensions (WxDxH):


750 x 510 x 50mm Cut Out Dimensions (WxDxH):


560 x 490mm


1 x WOK burner: 3800 W 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W


1 x Auxiliary burner: 1000 W Gas Type: NG


NG/LPG Options














STAINLESS STEEL HOBS









FREESTANDING

HOBS







































Built-in Hob Features

AS5283

30cm Inox

Comfort Features Cast Iron Pans Supports

2 Gas Burners Auto Ignition Front Mechanical Control

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH): 305 x 510 x 50mm Cut Out Dimensions (WxDxH): 290 x 490mm

1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 2750 W Gas Type: NG NG/LPG Options

AS5287

Hob Features Built-in 30cm

Inox

Comfort Features Enamel Pan Supports

2 Gas Burners Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 305 x 510 x 50mm Cut Out Dimensions (WxDxH): 290 x 490mm 1 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 2750 W Gas Type: NG NG/LPG Options

AS5255X01

Hob Features Built-in

30cm Inox

Comfort Features 2 Gas Burners Auto Ignition

Front Mechanical Control

Safety

Gas Safety Device Other Features Product Dimensions (WxDxH):

300 x 500 x 50mm Cut Out Dimensions (WxDxH): 280 x 480mm Front Right Zone Size / Power:

145 / 1500 W Rear Right Zone Size / Power: 180 / 1800 W Maximum Power: 3300 W Gas Type: NG

NG/LPG Options

FS5425B01

Hob Features Free Standing

> 60cm Black

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

NG/LPG Options

Side Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG

FS5425S01

Hob Features Free Standing 60cm

Grey

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Gas Safety Device Safety

Other Features Product Dimensions (WxDxH):

590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Other Features

Gas Type: NG NG/LPG Options

Free Standing Hob Features


60cm White


Comfort Features Enamel Pan Supports 4 Gas Burners


Auto Ignition
Side Mechanical Control

Gas Safety Device

590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options







With their advanced functions, Silverline refrigerators keep your food as fresh as the day they were stored.







LARGE CAPACITY

Provides spacious storage area thanks to large inner volume.





EXTRA COLD SECTION

Designed specifically for dairy/ breakfast items, the "Chiller Compartment" keeps food between - 2°C and + 3°C. This compartment is ideal for storing breakfast items and etc.





NO FROST

The no-frost system isolates the freezer from humidity, ensuring that the air inside the fridge remains dry. Thus it prevents humidity and frosting on the inner walls of the product to ensure that food does not freeze. Thanks to this system, food items are frozen more quickly, more evenly and balanced matter, remaining as fresh as the first day.





ELECTRONIC CONTROL

The "Electronic Control" panel allows the user to set separate temperatures for the fridge and the freezer





Thanks to the "Artificial Intelligence" function, the refrigerator detects the environmental temperature to set its own refrigerator, saving you the trouble of manual setting.



BLUE LIGHT

Equipped with sterilisation function, the "Blue Light" lighting function illuminates fruits and vegetables with a light that has the ideal wavelength, ensuring that they photosynthesise as they do in the nature. Food whose tastes and aromas are preserved remain fresh for a longer time and preserve the vitamin C they contain.





VACATION MODE

This function allows you to operate your refrigerator at low power when you are going to be away from home for a long time. When this function is selected, food in the freezer is kept as they are. To prevent bad odours in the freezer, the temperature is kept at around 12 degrees all the time. Moreover, you also save energy since the compressor does not run continuously in this mode.





(VEGETABLE) Without the humidity control function, the air inside the crisper evaporates, reaching the food and

CONTROL

shortening its life. Thanks to the adjustable "Humidity-Controlled Crisper" function in your refrigerator, the air inside the crisper condenses to allow you to keep humidity ratios of the food under control. This way, food items are kept fresh for a longer time.



TOUCH CONTROL

Along with a modern appearance, the "Touch Control" offers ease of use in terms of technologic aspects to allow the user to set separate temperatures for each compartment.





ANTI-FINGER PRINT

This feature ensures that the outer surface of the refrigerator looks clean at





ICE MAKER

"Rotary Ice Maker" makes ice in about 2-3 hours. Ice pieces in the container fall into the ice storage container below once the knob on it is turned. The ice storage container is only intended to store ice.





LED LIGHTING

It provides a more powerful white light for the interior of the refrigerator.

HIGH PERFORMANCE REFRIGERATION **TECHNOLOGIES** An indispensable element of any kitchen with a unique design and essential functionality. SILVERLINE Refrigerators are equipped with significant technical features such as the Anti-Odor and Air Cleaning System with UV, LED and Platinum Rays, the Anti-bacterial System preventing bacterial growth and propagation, the Vitamin-C Fresh System ensuring moisture control that will allow fruit and vegetables to maintain their nutritional value for longer, and the Multiple Air Flow System that increases the efficiency of your refrigerator. The energy class refrigeration technology offers high performance with minimal operating noise. In addition to providing your kitchen with a contemporary look thanks to their elegant aesthetic and inox steel finish, they also maintain a clean appearance cleanliness thanks to their fingerprint-resistant surface. The changeable opening direction of the doors provides for flexible installation that can be adapted kitchens of all styles.

REFRIGERATORS









R12051B01

General Feature Cross Door Refrigerator

Blue LED Light Sterilization Function Artificial Intelligence Function Black Colour Glass Door 492lt Total Gross Volume 482lt Total Net Volume

Cooling System

Dimension

F Energy Class Touch Control Panel T Climate Type Multi Air Flow Total No Frost

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony 2 crisper drawers


Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs





General Feature

Cross Door Refrigerator Blue LED Light Sterilization Function Artificial Intelligence Function White Colour Glass Door 492lt Total Gross Volume 482lt Total Net Volume

Cooling System

T Climate Type

Fridge Compartment 3 glass shelves on fridge part 6 shelves on fridge door balcony

Freezer Compartment 4 Stars Freezer 6 Drawers Freezer

Loading Quantity 40'HQ: 52 pcs

















































R12046B01



K 7 V





















General Feature Cross Door Refrigerator

Blue LED Light Sterilization Function Artificial Intelligence Function Mirror Colour Glass Door 492lt Total Gross Volume 482lt Total Net Volume

Cooling System

F Energy Class Touch Control Panel T Climate Type Multi Air Flow Total No Frost

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony 2 crisper drawers

Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Dimension Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs

R12051X01

Cooling System

Dimension

General Feature Cross Door Refrigerator

Blue LED Light Sterilization Function Artificial Intelligence Function Inox Door 492lt Total Gross Volume

482lt Total Net Volume

F Energy Class Touch Control Panel T Climate Type Multi Air Flow Total No Frost

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony 2 crisper drawers Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs























R12051F01

Side By Side Refrigerator

General Feature Holiday Function

Door Opened Over Alarm Black Colour Glass Door 562lt Total Gross Volume 514 Lt Net Capacity

F Energy Class Cooling System

Led Touch Screen ST Climate Multi Air Flow Total No Frost

Fridge Compartment Quick Cooling Function

4 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment Quick Freezing Function

4 shelves on freezer door balcony

Dimension Product Dimension: W910 x D650(+Handle 700) x H1770

Loading Quantity 40'HQ: 48 pcs

R12066X01

General Feature Side By Side Refrigerator

25L variable compartment volume Inox Door

520lt Total Gross Volume 474L Net Total Volume

Cooling System

F Energy Class Electronic LED Display Control

T climate type Multi Air Flow Total No Frost

Fridge Compartment Egg rack

Dimension

Freezer Compartment 4stars freezer

12kg freezer capacity

Unit Dimension: 920*630*1765mm

Loading Capatiy 40HQ: 52pcs

























%











































General Feature

Combi Type Refrigerator Recessed Handle Revisable Door Inox Door 416l Total Net Volume 468l Total Gross Volume

Cooling System

F Energy Class Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Fridge Compartment 3 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment 4stars freezer

3 Drawers Freezer

Unit Dimension (WDH): 700x666x1880 Dimension Loading Capatiy 40HQ: 67pcs

R12074X01

General Feature

Combi Type Refrigerator Recessed Handle Revisable Door Inox Door 295l Total Net Volume 325l Total Gross Volume

Cooling System

F Energy Class Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Egg rack

Fridge Compartment 5 shelves on fridge door balcony

2 crisper drawers Freezer Compartment 4stars freezer 3 Drawers Freezer

Dimension

Unit Dimension (WDH): 595x630x1880 Loading Capatiy 40HQ: 72pcs

R12074B01

General Feature

Combi Type Refrigerator Recessed Handle Revisable Door Black Colour Glass Door 295l Total Net Volume 325l Total Gross Volume

F Energy Class Cooling System

Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Fridge Compartment 5 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment 4 stars freezer

3 Drawers Freezer

Unit Dimension (WDH): 595x630x1880 Dimension

Loading Capatiy 40HQ: 72pcs



General Feature

Combi Type Refrigerator Recessed Handle Revisable Door White Color Glass Door 295I Total Net Volume 325I Total Gross Volume

Electronic Touch Control Panel

Total No Frost Multi Air Flow

Fridge Compartment 5 shelves on fridge door balcony

Freezer Compartment 4 stars freezer 3 Drawers Freezer

Unit Dimension (WDH): 595x630x1880 Loading Capatiy 40HQ: 72pcs







































R12060W01

General Feature Combi Type Refrigerator

Grip handle optional
Reversible door
White Colour
260I Total Net Volume

260l Total Net Volume 267l Total Gross Volume

Cooling System F Energy Class
Safety glass
ST Climate Type
Static

Static ECO LED light

Fridge Compartment 2L bottle rack Fruit and vegetable crisper

Egg rack

Freezer Compartment 3 Drawers Freezer

Dimension Dimension(W×D×H): 545×585×1800(without handle)

Load Capacity 40HQ: 100pcs

R12064X01

General Feature Double Door TMF Refrigerator

Recessed handle
Reversible door
Inox Door
4251 Total net volume
4591 Total gross volume

Cooling System F Energy Class

Electronic control T Climate Type Total no frost Led Light

Fridge Compartment 2 shelves
Chiller Drawer

Fruit and vegetable crisper Egg rack

Freezer Compartment 2 Balcony Freezer

4 star rating freezer

Dimension Product Size (WxDxH): 700x670x1770 mm

Load Capacity 40HQ: 66pcs

R12044X01

General Feature Double Door TMF Refrigerator

Recessed handle
Reversible door
Inox Door
294I Total net volume
304ITotal gross volume

Cooling System A+ Energy Class

Mechanical control
T Climate Type
Total No Frost
Led Light

Fridge Compartment 3 shelves

3 Balcony Fridge Fruit and vegetable crisper

Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension Product Size (WxDxH): 595*695*1724 mm

Load Capacity 40HQ: 72pcs

R12047S01

General Feature Double Door TMF Refrigerator

Recessed handle Reversible door Silver Colour Door 311l Total net volume 319lTotal gross volume

Cooling System F Energy Class

Mechanical Control ST Climate Tpe Static Led Light

Fridge Compartment 3 shelves 3 Balcony Fridge

Fruit and vegetable crisper Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension Product (WxDxH): 60x60x170 cm

Load Capacity 40HQ: 73pcs



















General Feature

Built-in Combi Refrigerator Reversible door White Colour Cabinet 250l Total net volume 259l Total gross volume

Cooling System


F Energy Class Electronic control ST Climate Tpe Static Interior light

Fridge Compartment 3 shelves

2L bottle rack Fruit and vegetable crisper Egg rack

Freezer Compartment 4 star rating freezer 3 Drawers Freezer

Product Size (WxDxH): 540x540x1785 mm Load Capacity (40HQ) : 109



General Feature

Built-in Combi Refrigerator Reversible door White Colour Cabinet 241l Total net volume 250l Total gross volume


F Energy Class Electronic control Cooling System

T Climate Tpe Total No Frost Interior light

Fridge Compartment
Recessed Space for Beverage
2L bottle rack
Fruit and vegetable crisper
Egg rack

Freezer Compartment Sliding Box for Pizza 2 Drawers Freezer

Product dimension (WxDxH): 540x545x1772 Load Capacity (40HQ): 105 Dimension



REFRIGERATORS



















General Feature Double Door TMF Refrigerator

Recessed handle Reversible door White Colour Door 240l Total net volume 245l Total gross volume

Cooling System F Energy Class

Interior light

Fridge Compartment 3 shelves

Fruit and vegetable crisper

Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension(W×D×H)(mm): 550×550× 1590 Load Capacity (40HQ) : 108 Dimension

General Feature

Mini Fridge Reversible door Adjustable leg White Colour Door 93l Total net volume 108l Total gross volume

Cooling System

F Energy Class Mechanical control T Climate Tpe

Fridge Compartment Tempered glass shelf

Fruit and vegetable crisper

Freezer Compartment Separate freezer compartment

Dimension(W×D×H)(mm): 472×450×850 Load Capacity (40HQ) : 338pcs Dimension

General Feature

Recessed handle Reversible door White Colour Door 45l Total gross volume

Cooling System

F Energy Class Mechanical control T Climate Tpe Static

Fridge Compartment 1 wire shelf

Freezer Compartment Separate freezer compartment

Unit Dimenison472x450x492 Load Capacity (40HQ) : 573pcs Dimension

FREEZERS









F22005S02

General Feature Chest Freezer

Silver Colour 99lt Total Net Volume Lock Grip Handle

Cooling System

A+ Energy Class Mechanical Control T Climate Type Static

LED Light

Dimension

Product Dimension (WDH): 565x523x850mm Loading Quantity 40'HQ: 248 pcs

F22009S02

General Feature

Chest Freezer Silver Colour 142lt Total Net Volume Lock

Grip Handle . LED Light

Cooling System

Dimension

A+ Energy Class Mechanical Control T Climate Type Static

Product Dimension (WDH): 5730x523x850mm

Loading Quantity 40'HQ: 248 pcs











General Feature

Chest Freezer Silver Colour 198lt Total Net Volume Lock Grip Handle LED Light

Cooling System

A+ Energy Class Mechanical Control T Climate Type Static

Dimension

Product Dimension (WDH): 9450x523x850mm Loading Quantity 40'HQ: 214 pcs





General Feature

Upright Freezer White Colour 85lt Total Net Volume 92lt Total Net Volume Recessed Handle Transparent drawers

Cooling System

F Energy Class Electronic Control T Climate Type

Product Dimension (WDH): 550x580x850mm Loading Quantity 40'HQ: 236 pcs Dimension

FREEZERS

























F22012X01

General Feature Upright Freezer

Inox Door

163 I TTotal Net Volume 182 | Total gross Volume 6 drawers Transparent drawers

Cooling System

F Energy Class Electronic Control T Climate Type Static

Dimension

Product Dimension (WDH): 550x580x1420mm Loading Quantity 40'HQ: 142 pcs

F22007X01

General Feature Upright Freezer

Inox Door Net Volume: 225 L Gross Volume: 245L 7 drawers Transparent drawers

F Energy Class Cooling System

Electronic Control T Climate Type Static

Dimension

Product Dimension (WDH): 600x600x1700mm Loading Quantity 40'HQ: 74 pcs

F22014X01

General Feature Upright Freezer

Inox Door Net Volume: 212 L Gross Volume: 248L 7 drawers Transparent drawers

G Energy Class Cooling System

Electronic Control T Climate Type No Frost

Product Dimension (WDH): 600x650x1630mm Loading Quantity 40'HQ: 78 pcs Dimension

DISHWASHERS

A genuinely functional space that makes life easier after a pleasant meal, complete with an aesthetic look and functionality that helps make your kitchen more ergonomic.

DISHWASHERS











Full-Integrated Dishwasher Main Features

Capacity for 11 place settings Energy consumption: E 9 LT Water Consumption 49dB noise level Button control with screen

3/6/9 hours Half Load

Black Control Panel

Program Intensive

Eco Light Rapid Pre-Rinse

Controls Buttons

Technical & Internal SS Filter

Specification 3 Grey baskets

Upper & lower spray arms

Water softener Flip Dispenser detergant box

Aqua-stop inlet hose



Full-Integrated Dishwasher

Energy consumption: E

3/6/9 hours delay start

49dB noise level

Button control

+ Silver buttons

Half Load

Intensive

Normal

Eco

Glass

1 hour

Rapid

Buttons

2 Grey baskets

Water softener

Aqua-stop inlet hose

Upper & lower spray arms

Sliding Dispenser detergant box

11 LT Water Consumption

Capacity for 12 place settings

White body + Black Control Panel

D11011X01

Main Features

Program

Controls

Specification

Technical & Internal SS Filter



















Main Features Full-Integrated Dishwasher

Capacity for 14 place settings Energy consumption: E 11 LT Water Consumption 52dB noise level Button control with screen

1-24 hr delay start Half Load

White body + Black Control Panel + Silver buttons

Program 90min Glass Rapid Normal Intensive Eco

Controls Buttons

Technical & Internal SS Filter

Specification 3 Grey baskets

Upper & lower spray arms

Water softener

Flip Dispenser detergant box Aqua stop inlet hose











Main Features

Full-Integrated Dishwasher Capacity for 12 place settings Energy consumption: E 12 LT Water Consumption 49dB noise level Button control with screen 1-24 hr delay start Black Glass Door

Program

Eco Rapid Intensive Rapid Pre- Rinse Light

Buttons

Controls

Technical & Internal SS Filter

Specification 2 Grey baskets

Upper & lower spray arms Water softener

Flip Dispenser detergant box Aqua stop inlet hose

D11030B01

Semi-Integrated Dishwasher Main Features

Capacity for 12 place settings Energy consumption: E 11 LT Water Consumption 49dB noise level Button control 1-24 hr delay start

Black colour panel

Program

1H Pre-Rinse Eco Light Rapid Intensive

Buttons

Controls


Technical & Internal SS Filter Specification


2 Grey baskets

Upper & lower spray arms

Water softener

Flip Dispenser detergant box Aqua stop inlet hose











Main Features

Full-Integrated Dishwasher Capacity for 12 place settings Energy consumption: E 12 LT Water Consumption Button control with screen 1-24 hr delay start White Glass Door


Program


Rapid Intensive Rapid Pre- Rinse Light


Technical & Internal SS Filter


Upper & lower spray arms

Flip Dispenser detergant box









DISHWASHERS















D11030S01

Main Features

Semi-Integrated Dishwasher Capacity for 12 place settings Energy consumption: E 11 LT Water Consumption 49dB noise level Button control 1-24 hr delay start Silver colour panel

Program

1H Pre-Rinse Eco Light Rapid Intensive

Buttons

Controls

Technical & Internal SS Filter

Specification

Upper & lower spray arms Water softener Flip Dispenser detergant box

Aqua stop inlet hose

Freestanding Dishwasher Energy consumption: E 11 LT Water Consumption 49dB noise level Button control with screen 1-24 hr delay start Half Load

Intensive Pre-rinse

Controls

Specification

Technical & Internal Plastic base & SS Filter

Flip Dispenser detergant box

Main Features Freestanding Dishwasher

D11026X01

Capacity for 14 place settings Energy consumption: E 10 LT Water Consumption 52dB noise level Button control Inox Door

Program

Controls

90min Pre-Rinse Eco Light Glass Rapid Normal Intensive Buttons

Specification

3 Grey baskets

Sliding Dispenser detergant box

Technical & Internal SS Filter

Upper & lower & middle spray arms



Main Features

Capacity for 12 place settings Inox Door


Program

Eco Glass 90min Rapid Self Cleaning

Buttons

3 Grey baskets

Upper & lower & middle spray arms Water softener





WASHING MACHINES

Silverline washing machines are designed to meet a multitude of requirements while fitting perfectly into any home and space.

WASHING MACHINES



























Programs







Features Freestanding Washing Machine

Silver Color

Washing Capacity: 6 kg Button & Knob Control Drum 41L

Child-Lock Pre Delay/Time Delay

Performance E Energy Class

1000 RPM 48l Water consumption (L/Cycle)

Universal motor

Programs Rinse + spin

Cotton Mix Synthetic Delicate Tub Clean Spin Quick 15'

Loading Quantit (40HQ) 225

WM14017S01

Features Freestanding Washing Machine

Silver Color Washing Capacity: 7 kg Button & Knob Control with small

screen Drum 58L Child-Lock

Pre Delay/Time Delay

A+++ Energy Class Performance 1200 RPM

52,5l Water consumption (L/Cycle)

Universal motor

Cotton Sports Mix Eco Baby Care Quick 15' Rinse + spin Spin

Underwear Duvet Synthetic Wool

Dimension

Programs

Loading Quantity (40HQ) 215 Dimension (W*D*H) 595x510x850mm WM14015B01

Features Freestanding Washing Machine

Black Color

Washing Capacity: 8,5 kg Button & Knob Control with big screen

Child-Lock

Pre Delay/Time Delay

A+++ Energy Class Performance

1200 RPM

51| Water consumption (L/Cycle) Inverter motor

Dark Color Shirt Intensive Bedding Quick Drum Clean Spin Mix Cotton Synthetic

Down Jacket Allergy Care Underwear Wool Jeans

Loading Quantity (40HQ) 171 Dimension

Dimension (W*D*H) 595x560x850mm

WM14024S02

Features Freestanding Washing Machine

Silver Color

Washing Capacity: 9 kg Button & Knob Control with big

15

screen Door Lock

Anto Balance System Anti-Foam Cotrol Overheating Control Child lock

Galvanized Door Frame

Performance E Energy Class

1400 RPM

57,6l Water consumption (L/Cycle)

Universal motor

Programs

Daily 80' Daily 183' Cool Wash 95C Anti-Bac Denim Heavy Drum Clean Spin Rinse+Spin Night Wash Quick Mix Silk Wool Synthetic

Loading Quantity (40HQ) 215 Dimension

Dimension (W*D*H) 595x545x845mm

Freestanding Washing Machine White Color

Washing Capacity: 8 kg Dryer Capacity: 5 kg Button & Knob Control with big

16 Program

screen Anto Balance System Overheating Control

Performance

B Energy Class 1400 RPM

Intensive motor

Programs

Intensive Quick

Spin Rinse+Spin Cotton Synthetics Wool

Down Jacket

Jeans Dryer Deodorize Anti-Mite

Dimension Loading Quantity (40HQ) 171

Dimension (W*D*H) 595x560x850mm

Features

DM54003S01

Freestanding Condenser Dryer Silver Color

Drying Capacity: 8 kg Galvanized Door Frame Round Door

15

Moisture sensing Button & Knob Control with big screen

Power-off memorization Two large filter

Anti-crease function Delay timer: 1-24hr

B Energy Class Performance

Automatic Tumble Dryer

Programs Daily Cotton

Synthetic Bulky Item Towel Wool

Duve Baby Care Warm Air Refresh

Time Underwear Jeans Shirts Sportswear

Dimension Loading Quantity (40HQ) 162

Dimension (W*D*H)595x630x890 mm

NOTES	



www.silverline.com



SILVERLINE BUILT-IN APPLIANCES CO. SIIkar Plaza. Topkapı-Maltepe St. No: 6 Floor: 3 Bayrampaşa / İstanbul / TURKEY P.O. 34030 Phone: +90212.484 48 00 (pbx) Fax. +90212.481 40 08